

WARRANTY POLICIES



**KUMHO
TIRE**

**CONSUMER LIMITED WARRANTY FOR KUMHO BRAND
PASSENGER, LIGHT TRUCK TIRES, BUS AND RADIAL TIRES**

I. WHAT IS WARRANTED AND WHO IS ELIGIBLE UNDER THIS WARRANTY 3

II. LIMITED TREAD WEAR WARRANTY FOR PASSENGER RADIAL TIRES 4

III. ROAD HAZARD PROTECTION 5

IV. NEW ON REAR/ROTATION RECOMMENDATION 5

V. REPLACEMENT WARRANTY 5

**CONSUMER LIMITED WARRANTY FOR ORIGINAL EQUIPMENT
PASSENGER & LIGHT TRUCK TIRES INCLUDING TEMPORARY TIRES**

I. WHAT IS COVERED AND FOR HOW LONG 6

II. WHAT IS NOT COVERED BY THE WARRANTY NON-ADJUSTABLE CONDITIONS 6

III. KUMHO OBLIGATIONS 7

IV. OWNER'S OBLIGATIONS 7

SAFETY WARNINGS 7,8

CLAIM PROCESS 9

WARRANTY CLAIM FORM 10

CONSUMER LIMITED WARRANTY

Kumho Brand Passenger, Light Truck, Bus and Radial Tires

CONSUMER LIMITED WARRANTY FOR KUMHO BRAND PASSENGER, LIGHT TRUCK TIRES, BUS AND RADIAL TIRES

I. WHAT IS WARRANTED AND WHO IS ELIGIBLE UNDER THIS WARRANTY

Kumho Tire Canada, Inc., 6430 Kennedy Road, Unit B, Mississauga, ON, L5T 2Z5, warrants to the original consumer purchaser that all Kumho replacement radial tires either directly or through an authorized Kumho dealer, and which are mounted on cars within Canada, and become unserviceable for any reason within the manufacturer's control, such tire will be replaced with an equivalent Kumho tire.

WHAT IS COVERED BY THE WARRANTY AND FOR HOW LONG

The life of the original usable tread has worn down to 2/32" remaining (worn down to the top of the built-in indicators in the tread grooves), before 72 months from the date of manufacture or purchase date supported with proof of purchase for every passenger and light truck tire (whichever comes first), and before 5 years from the date of manufacture for commercial truck tires (whichever comes first), any new tire manufactured by Kumho Tire Canada, Inc. covered by this warranty become unserviceable due to a material or workmanship condition, Kumho will do either of the following:

- A. After the first 2/32" of the original usable tread, a credit will be given toward the purchase of a comparable new Kumho tire to the original usable tread of the new tire. Applicable taxes on the new tire and costs of mounting and balancing service are payable by the owner.

The amount of such credit will be calculated by the following formula:

$$\text{Example: } C = \frac{5 \text{ (OTR)}}{10 \text{ (OT)}} = 38\% \times \$100.00 \text{ (P)} = \$38.00$$

C = Credit

OTR = Original usable tread remaining on returned tire

OT = Original usable tread on new tire

P = Purchase price of new tire in accordance with Kumho Dealer's warranty price list effective at the time of adjustment

Temporary Spare Tire

- B. During the first 1/32" of the original usable tread, Kumho will replace such temporary tire with a comparable new Kumho temporary tire free of charge. After the first 1/32" of the original usable tread, but less than 2/32", a credit of 50% towards a comparable new Kumho temporary tire will be given. Applicable taxes and costs of mounting and balancing services are payable by the owner.

- C. Adjustment on ride complaint or out-of-round is allowed only during the first 2/32" of the original tread depth. The authorized Kumho dealer will determine the adjustment cost by multiplying the percentage of the original usable tread worn by the current Kumho dealer's price list in effect at the time of adjustment.

WHAT IS NOT COVERED BY THE WARRANTY

- A. This limited warranty is applicable only in Canada, and any tires used or equipped on a vehicle registered or operated outside Canada are not covered by this warranty.
- B. Tires branded or marked Non-Adjustable "NA", or Blemished "Blem", or DOT/Serial numbers previously cut will not be adjusted.
- C. Any tire worn beyond the wear bars (less than 2/32" remaining tread).
- D. The cost of application taxes and mounting and balance service.
- E. Tire damage or irregular wear due to:
1. Road hazard, including puncture, cut, impact break, bulge, snap, stone drill, or collision.
 2. Continued use while run flat or under acute underinflation.
 3. Improper use or operation; without limitation, improper inflation pressure; overloading; use of an improper rim; tire/wheel assembly imbalance or other vehicle condition; worn suspension components, improper mounting or de-mounting; misuse, misapplication; fire or other externally generated heat; water or other material trapped inside the tire during mounting; tire alteration; racing or competition purposes; improper inserting of sealant; balance or filler materials.
 4. Improper repair, or with repairs not conforming to the Rubber Manufacturers Association standards, or with section repairs, or with self-vulcanizing plug only.
 5. Failure to rotate the tire at least every 8,000 km as evidenced by Kumho's Mileage Warranty/Tire Rotation Card, or vehicle misalignment.
 6. Uneven or rapid wear which is caused by mechanical irregularity in the vehicle such as misalignment (a measured tread difference of 2/32" or more across the tread on the same tire).

CONSUMER LIMITED WARRANTY

Kumho Brand Passenger, Light Truck, Bus and Radial Tires

- F. Ozone or weather cracking on tires over four (4) years from the date of manufacture.
- G. Tires that have been recapped, re-treaded, or re-grooved.
- H. Ride disturbance (out-of-round, vibration, pulling, etc.) claims submitted after the first 2/32" of tread wear.
- I. Loss of time, or use, inconvenience, or any incidental or consequential damage.
- J. Tires that have been modified by the addition or removal of material or any tire intentionally altered to change its appearance.
- K. Tire's unserviceability caused by the tire operation in excess of tire/wheel manufacturer's specifications and recommendations.
- L. Tires that are misapplied due to insufficient speed rating, or undersized or oversized tires.
- M. Tires that have become unserviceable because of chemical corrosion, vandalism, chains or flat spotting.
- N. Tires involved in any race-related activities.
- O. This limited warranty applies only to the original purchaser and is non-transferable.

OWNER'S OBLIGATIONS

In order to be eligible for Kumho's limited warranty service, the owner must:

- A. Present the tire to any authorized Kumho dealer.
- B. Complete and sign a Kumho warranty claim form, which is available at any authorized dealer.
- C. Pay the amounts due on a new tire, less the amount of credit, including taxes, mounting and balancing charges and/or the cost of other services ordered. To locate an authorized Kumho dealer, visit KumhoTire.ca, refer to the Kumho Dealer Directory, or call (877) HI-KUMHO.
- D. Submit to a Kumho dealer or an authorized car establishment proof of rotation(s) by bill of sale receipt(s) performed by a qualified car technician (mechanic).

OTHER RIGHTS

This limited warranty gives the owner of Kumho tires specific legal rights, and you may also have other rights, which vary from province to province.

II. LIMITED TREAD WEAR WARRANTY FOR PASSENGER RADIAL TIRES

Pattern	Mileage Coverage
SPORT S	45,000 kilometers
SPORT	45,000 kilometers
SPORT A/S	80,000 kilometers
TA51a	105,000 kilometers (H, V, W ONLY) 120,000 kilometers (T ONLY)
HP71	105,000 kilometers
HT51	70,000 kilometers (LT-METRIC ONLY) 110,000 kilometers (P-METRIC ONLY)
AT52	85,000 kilometers (P-METRIC ONLY) 80,000 kilometers (LT-METRIC ONLY)
RT	80,000 kilometers
HA32	100,000 kilometers (T, H, V ONLY) 80,000 kilometers (W, Y ONLY)
TA91 EV	80,000 kilometers
TA31 EV	80,000 kilometers
HP71 EV	80,000 kilometers

- A. If tread has worn down to the tread wear indicators (2/32" tread depth) within 72 months from the date of purchase (or manufacture) or does not deliver the warranted miles of normal passenger use, whichever comes first, Kumho Tire Canada, Inc. will make an allowance for unused service towards a comparable new tire, prorated on warranted miles.
- B. The replacement allowance will be calculated by percentage of the warranted miles not received multiplied by the predetermined adjustment price of the tire at the time and place of the adjustment.
- C. For original equipment tires on new vehicles, please see separate warranty in your vehicle's glove box.

ELIGIBILITY FOR LIMITED TREAD WEAR WARRANTY

- A. To make a claim, the owner must present the original customer copy of Kumho Tire OEM Warranty Form, which records the date of purchase, name of purchaser, original mileage and identification of the vehicle to an authorized Kumho dealer.
- B. This limited tread wear warranty applies only to the original owner and is non-transferable.
- C. The owner shall pay the cost of mounting, balancing and other service charges or taxes.
- D. The owner must rotate the tires every 8,000 km.
- E.1. The following are exclusions to the Limited Tread Wear Warranty:
 - 2. Tires branded "NA", "Blem", etc.

Tires exhibiting uneven or rapid wear which is caused by mechanical irregularity in the vehicle such as misalignment (a measured tread difference of 2/32" or more across the tread on the same tire).

CONSUMER LIMITED WARRANTY

Kumho Brand Passenger, Light Truck, Bus and Radial Tires

3. Tires worn out or damaged due to improper inflation, improper mounting, uneven wear, overloading or off-road driving, run flat or racing, accident, fire or chemicals, use on RV or commercial vehicle, vandalism or gross abuse, defective mechanical condition of vehicle, road hazard damage (puncture, cut, impact break, etc.), and lack of tire rotation.
 4. Original equipment tires on new vehicles.
- F. For staggered/split fitments — meaning different size tires on the front and rear axles — Kumho Tire will cover half the number of miles of standard mileage warranty since these tires cannot be rotated as recommended by Kumho.

III. ROAD HAZARD PROTECTION

The following tires:

- Ecsta SPORT / SPORT S
- Ecsta A/S
- Solus TA91 EV
- Solus TA51a
- Solus TA31 EV
- Crugen HP71
- Crugen HP71 EV
- Crugen HT51
- Road Venture AT52
- Road Venture RT
- Solus HA32/HA32 SUV

that have been irreparably damaged due to a normal road hazard condition, within the first 2/32" of the original tread depth (O.T.D.), will be replaced free of charge with an equivalent Kumho tire.

IV. NEW ON REAR/ROTATION RECOMMENDATION

- A. Replacement of two tires: Kumho Tire recommends replacing all four tires at the same time.
- B. Tire Rotations: Owners must continue to rotate tires in accordance with their vehicle owner's manual or every 8,000 km. Side-to-side rotation on "new on rear; two tire replacements" fitments will be acceptable.

V. REPLACEMENT WARRANTY

If you receive a replacement tire under this warranty, it will be covered by the manufacturer's warranty and the supplemental limited mileage warranty that Kumho Tire Canada, Inc. then gives on that tire.

THIS IS THE ONLY EXPRESS WARRANTY GIVEN BY KUMHO APPLICABLE TO KUMHO REPLACEMENT TIRES.

KUMHO DOES MAKE ANY OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. KUMHO DOES NOT AUTHORIZE ANY OTHER PERSONS, INCLUDING AUTHORIZED DEALERS TO CHANGE THIS WARRANTY OR CREATE ANY OTHER OBLIGATION IN CONNECTION WITH KUMHO TIRES.

KUMHO WILL NOT DO ANYTHING OTHER THAN WHAT IS STATED IN THIS WARRANTY IF A DEFECT IS FOUND TO EXIST IN A KUMHO REPLACEMENT RADIAL TIRE.

ALL OTHER REMEDIES ARE EXCLUDED, INCLUDING ANY OBLIGATION OR LIABILITY ON THE PART OF KUMHO FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES (SUCH AS LOSS OF USE OF CAR, LOSS OF TIME OR INCONVENIENCE) ARISING OUT OF A DEFECT.

THE REMEDIES SET FORTH IN THIS LIMITED WARRANTY ARE THE SOLE AND EXCLUSIVE REMEDIES FOR BREACH OF WARRANTY. SOME PROVINCES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS OR EXCLUSIONS MAY NOT APPLY TO YOU.

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS THAT VARY FROM PROVINCE TO PROVINCE.

CONSUMER LIMITED WARRANTY

Original Equipment Passenger, Light Truck and Temporary Tires

CONSUMER LIMITED WARRANTY FOR ORIGINAL EQUIPMENT PASSENGER & LIGHT TRUCK TIRES INCLUDING TEMPORARY TIRES

I. WHAT IS COVERED AND FOR HOW LONG

Kumho warrants that a tire manufactured by Kumho and/or equipped originally on the vehicle is free from defects in materials and/or workmanship in normal use for the life of the original usable tread. The life of the original usable tread ends when the tire tread has been worn down with only 2/32" (1.6 mm) remaining, at which point the tire is considered to be fully worn out.

PASSENGER AND LIGHT TRUCK TIRES

A. Free replacement

If a Kumho Radial Passenger or Light Truck tire fails as a result of defect in materials and/or workmanship within the first 2/32" of the original tread depth, the tire will be replaced with a new, comparable Kumho tire at no charge including mounting and balancing charges.

B. Pro-rata replacement

A tire not qualifying for free replacement will be given a credit toward the purchase of a new, comparable Kumho tire based upon the amount of tread actually worn. The cost of mounting, balancing and any other service charges or applicable taxes should be paid by the user. Otherwise adjustment for compensation will be made on a pro-rata basis calculated by multiplying the actual current dealer selling price by the percentage of remaining usable tread depth.

KUMHO TEMPORARY TIRE

A. A Temporary Tire weighs less and provides more trunk storage space than a conventional tire. To conserve tire tread life, the temporary tire should be returned to the trunk as soon as it is convenient to have your standard tire repaired or replaced.

B. If a Kumho Temporary Tire fails as a result of defect in materials and/or workmanship during the first 50% of usable tread wear, the tire will be replaced with a new, comparable tire at no charge including mounting and balancing charges. No adjustment will be made for tires that are worn more than 50%.

II. WHAT IS NOT COVERED BY THE WARRANTY NON-ADJUSTABLE CONDITIONS

A. Irregular wear or tire damage due to:

1. Road hazards such as punctures, cuts, snags, scuffs, carcass bruised or impact breaks.

2. Fire, wreck, vandalism or collision.

3. Improper inflation, overloading, high-speed spinning, improper mounting or demounting, running flat, offroad use, racing, vandalism, willful damage or abuse.

4. Misalignment, wheel imbalance, defective brakes or shock absorbers, or use of tire chains.

5. Any tire which has failed as a result of adding material (e.g., tire fillers, sealant, or balancing substances).

B. Tire fitted to anything other than the original vehicle.

C. Tire worn beyond tread wear indicator (2/32" or 1.6 mm tread remaining).

D. Tire presented by other than the actual owner-user.

E. Tire branded "NA" (meaning non-adjustable) or "blem" (meaning blemished).

F. Loss of time inconvenience, loss of use of the vehicle or consequential damage.

G. Ride disturbance after free-replacement conditions.

H. Ozone or weather cracking on tires over four (4) years from the date of manufacture.

I. No flat spot warranty for original tires.

J. No mileage warranty for original tires.

K. This limited warranty applies only to the original vehicle owner and is non-transferable.

GENERAL EXCLUSIONS

A. No Kumho Tire employee, retailer or dealer has the authority to make any warranty, representation, promise or agreement on behalf of Kumho Tire except as stated in this policy.

B. Tires used in racing-related activities or competitive events are not covered by this warranty.

C. Limitation of remedy: To the extent permitted by law, Kumho disclaims liability for all consequential and incidental damages. Some provinces and states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have rights which vary from province to province in Canada, and from state to state in the United States.

WARRANTY POLICIES

Safety Warnings

III. KUMHO OBLIGATIONS

Replacement tires qualifying under this warranty will be made by a participating Kumho dealer or a participating car dealer.

IV. OWNER'S OBLIGATIONS

- A. Conform to all pertaining policies detailed herein.
- B. Present tire to any authorized Kumho dealer or a participating car dealer along with proof indicating you are the original vehicle owner. Respective dealer will inspect tire in order to identify whether or not it qualifies for warranty based on the policies detailed herein. If the inspected tire qualifies for warranty, dealer should send in completed Kumho Warranty Form to warranty@kumhotire.ca.
- C. To locate an authorized Kumho dealer, use our web address kumhotire.ca/en/dealer/list or call (877) HI-KUMHO.

SAFETY WARNINGS

Property damage, serious personal injury or death may result if any of the following safety precautions/recommendations are not followed:

Driving on any underinflated tire is dangerous and may result in sudden tire destruction caused by excessive heat build-up. For replacement tires, your tire retailer should provide you with the proper inflation pressure. Otherwise, follow the air pressure recommendation found within your vehicle's owner manual or tire placard in your vehicle. If your replacement tire size is different from the original equipment tire size, ask your tire retailer for a revised air pressure recommendation guide in order to adequately support your vehicle's GVWR.

- Check the cold inflation pressure in all of your tires, including the spare tire, at least once every week and always prior to long distance trips. Failure to maintain the proper air inflation pressure may result in improper vehicle handling and may cause rapid and irregular tire wear, reduction in tire durability, loss of vehicle control or sudden tire failure that may lead to property damage, serious personal injury or death. Use an accurate tire gauge to check tire air pressures. Always maintain the proper recommended air inflation pressure in all tires. If there is an indication that one of your tires has lost four or more pounds of air pressure, immediately look for signs of penetration through the tire, valve leaks or wheel damage that may account for the air loss. You should also have your tires inspected by a tire retailer immediately. Air pressure should be checked when tires are cold (before they have been driven), ideally in the early morning. Driving, regardless of distance, causes tires to heat up and simultaneously increase air pressure. Never exceed the maximum inflation pressure

for the tire. Never bleed air from hot tires as this may result in underinflation.

Inspect your tires daily. If you notice any damage to your tires or wheels, replace them with a spare and immediately visit any tire retailer for advice. Driving over potholes, curbs, wood debris, metal, etc., can damage a tire and should be safely avoided. Contact with such hazards requires an immediate and thorough tire inspection by your tire retailer.

- Always examine your tires for penetrations, bulges, cracks, cuts and abnormal wear — particularly at the tire edges — which may be caused by, for example, vehicle misalignment or tire underinflation. Failure to properly control a vehicle when one or more tires are underinflated may result in an accident. Use of a damaged tire may result in rapid air loss, including sudden tire failure. An explosion of the tire/rim assembly may occur due to improper mounting. Only specially trained persons should mount tires.

Failure to store tires in accordance with the following recommendations may result in damage to your tires, reduction in tire durability or sudden tire failure:

- Tires should always be stored in a cool, dry, clean, indoor environment. Tires contain waxes and emollients to protect their outer surfaces from ozone and weather cracking. As the tire rolls and flexes, the waxes and emollients continually migrate to the tire's surface, replenishing this protection throughout the normal and proper use of the tire. However, when tires sit outdoors and are unused for an extended period of time, the tire surface becomes dry, the tire may be susceptible to ozone and weather cracking and the casing becomes susceptible to flat spotting. Surfaces on which tires are stored must be free from grease, gasoline and other substances that could deteriorate the rubber. You should have a qualified technician check all tires where the Kumho Tire Canada, Inc. warranty policy period has lapsed, even if damage is not obvious.

Do not overload your tires. Driving on any overloaded tire is extremely dangerous and may result in an accident causing property damage, serious personal injury or death.

- The maximum load rating marked on the sidewall of any tire is based on the maximum speed of operation. Tires that are loaded beyond their maximum allowable loads for a particular application will generate increased and excessive heat that may cause sudden tire failure leading to property damage, serious personal injury or death.

All specifications shown in this catalogue cancel, supersede and replace those shown on prior-dated catalogues and are subject to change without notice. Weights shown in this catalogue are approximate and subject to change. Actual weights will be used at the time of shipment.

WARNING FOR YOUR SAFETY

• TIRE DEMOUNTING AND MOUNTING

Improper tire mounting and inflation procedures may cause tire beads to break with explosive force during installation of the tire on the rim, causing personal injury and property damage. Follow the Rubber Manufacturers Association (RMA) installation and safety procedure for mounting and inflating tires. Tire and rim must match in size. Rim parts must match in size. Rim parts must match by manufacturer's design. Clean rim. Lubricate rim and beads. Do not exceed the maximum recommended pressure to seat beads on rim. Use remote control inflation equipment and inflation cage.

Note: Never inflate over 40 psi to seat beads. Mount radialply tires only on rims designated by wheel manufacturer as suitable for radial tires. Only specially trained persons shall mount tires.

• AIR PRESSURE

Check the pressure in your tires, including your spare, at least monthly, and always before and during extended driving, when tires are cold (at least 3 hours after the vehicle has been stopped and before it is driven more than 1 mile/1.6 km). Do not reduce pressure when tires are hot: use an accurate air pressure gauge to check pressure and maintain it at the level recommended on the vehicle tire placard or in the owner's manual. Underinflation produces extreme flexing of sidewalls and builds up heat to the point that premature tire failure may occur. Overinflation can cause the tires to be more susceptible to impact damage.

• LOAD LIMITS

Never exceed the load-carrying limits molded onto the sidewall of your tires or the maximum vehicle load limit as shown on the vehicle tire placard, whichever is less. Overloading builds up excessive heat in the tire and leads to early and/or sudden failure.

• HAZARDS

Avoid running over objects (e.g., chuckholes, rocks, curbs, metal, glass, etc.) which may possibly cause internal tire damage. Continued use of a tire that has suffered internal damage, which may not be externally visible, can lead to dangerous tire failure. Determination of suspected internal damage requires demounting the tire from its rim and examination by trained personnel.

• WORN TIRES

Never drive on worn tires. Tires should be replaced by trained personnel when $2/32$ " (1.6 mm) of remaining tread depth, as indicated by tread wear indicators molded into the tread grooves. Use of worn-out tires (less than $2/32$ " remaining tread depth) increases the possibility of tire failure. In most states, it is illegal to drive with less than $2/32$ " of remaining tread depth.

• SPEED LIMITS

Operating your vehicle in excess of lawful speed limits or the maximum speeds justified by driving conditions can be dangerous. Excessive speed creates heat buildup in a tire, leading to possible tire failure.

• SPEED-RATED TIRES

Speed-rated tires are identified by letters P, Q, S, T, H, V, W or Z as either part of the size designation (e.g., HR) or part of the service description adjacent to the size designation (e.g., 94H) and indicate the maximum speed capability of the tire when properly loaded and inflated. However, even when properly loaded and inflated, driving for prolonged periods at high speeds can cause tire damage and possible tire failure which could lead to an accident. Original equipment speed-rated tires must be replaced with tires of the same or higher speed rating if the speed capability of the vehicle is to be maintained. Consult your Kumho dealer for the tires best suited to your vehicle driving habits. Repair of speed-rated tires must be done in accordance with RMA repair procedures and is limited to one $1/3$ diameter repair in the tread area.

• TIRE ROTATION

Rotate your tires for longer tire life. Front and rear tires perform different jobs and wear differently. Consult your vehicle owner's manual for mileage recommendations and rotation patterns.

• ADDITIONAL SAFETY INFORMATION FOR TEMPORARY TIRE

A. Air pressure

Check inflation pressure as soon as possible after installation and inflate to 60 psi. The tire pressure should be checked monthly and maintained at 60 psi while the tire is stored or in service.

B. Vehicle restriction

The temporary spare tire was specifically designed for your car and should not be used on any other vehicle.

C. Other restrictions

The temporary spare tire should not be used with other wheels, nor should standard tires, snow tires, wheel covers, or trim rings be used with the temporary spare wheel. If such use is attempted, damage to these items or other vehicle components may occur.

CLAIM PROCESS

Warranty Claim and Photo Guidelines

Please send in information on the tire(s) according to the following guidelines:

1. **Original installation invoice**
2. **Fully completed claim form.** (We advise getting a retailer to submit for you)
3. One picture of the tread with tread gauge showing depth.
4. One picture of the complete DOT showing the **four-digit date code**.
5. One picture **highlighting the issue with the tire.**
6. Any other image that might help identify the cause of tire issue.

To fulfill any approved adjustments Kumho must be provided with **proof that the adjustment tires are out of service.** Picture of cut sidewall or skived DOT will suffice.

Original Equipment Tires supplied with the new vehicle purchase do not qualify for Road Hazard or Mileage Warranties.

OE tires sold as Replacement Equipment do qualify under the main pattern benefits.



Picture of **TREAD X1**



Picture of the **SIZE X1**



Picture of **DATE OF MANUFACTURING X1**

4621: Identifies the manufacturing date. The first represent the week and the last two digits represent year. Therefore, in this example, the tire was manufactured in the 46th week of 2021.



1 or 2 Pictures of **OUTSIDE DAMAGED AREA**



1 or 2 Pictures of **INSIDE OPPOSITE OF THE DAMAGED AREA**

WARRANTY CLAIM FORM



DEALER INFORMATION DÉTAILLANT

Please complete the following form and send information to warranty@kumhotire.ca
 Veuillez remplir le présent formulaire et l'envoyer à warranty@kumhotire.ca

Dealer Name Nom du détaillant			
Dealer Address Adresse du détaillant	UNIT / UNITÉ	STREET / RUE	PROVINCE POSTAL CODE POSTAL
Telephone Téléphone	()	-	Ext.

VEHICLE INFORMATION VÉHICULE

Model & Year of Vehicle Modèle et Année du Véhicule	MANUFACTURER / FABRICANT		MODEL / MODÈLE	()	YEAR / ANNÉE
Vehicle KMS at Purchase KMS du véhicule à l'achat	KMS	Current KMS / Courant KMS			KMS
Name & Address of Customer Nom et Adresse du Client	<input type="checkbox"/> MR. M. <input type="checkbox"/> MS. MME.		FIRST NAME / PRÉNOM	LAST NAME / NOM DE FAMILLE	
	UNIT / UNITÉ	STREET / RUE	PROVINCE	POSTAL CODE POSTAL	
Contact Person Personne a contacter					

TIRE INFORMATION PNEU

Please complete the Below (Red box items are must Required)
 *Please inquire with the tire dealer regarding the thread depth.

TIRE SIZE / GRANDEUR	TIRE MODEL / MODÈLE	PRODUCT CODE / CODE PRODUIT	QUANTITY / QUANTITÉ
/ R			

FOR / POUR	PROBLEM DESCRIPTION PROBLÈME	FOUR DIGIT DOT NO.	TREAD DEPTH / PROFONDEUR		
LF TIRE /PNEU AVG			/32	/32	/32
RF TIRE /PNEU AVD			/32	/32	/32
LR TIRE /PNEU ARG			/32	/32	/32
RR TIRE /PNEU ARD			/32	/32	/32

If eligible under manufacturer warranty, please cut out the rubber DOT from each tire and send the picture to warranty@kumhotire.ca
 Si éligibles sous garantie du fabricant, Veuillez couper le numéro DOT de chaque pneu et envoyer la photo à warranty@kumhotire.ca
 Kumho Tire Canada Inc. 6430 Kennedy Road Unit B, Mississauga, ON, L5T 2Z5 warranty@kumhotire.ca

EXT. CENTRE INT.

KUMHO TIRE



kumhotire.ca



@KumhoCanada



@kumhotirecanada

Kumho Tire Canada., Inc.

#Unit B, 6430 Kennedy Rd.

Mississauga, ON, L5T 2Z5

(905) 564-0882

1-877-HI-KUMHO (445-8646) | kumho.general@kumhotire.ca